

Dr. Duke's Phytochemical and Ethnobotanical Databases

Chemicals found in Artemisia salsolooides

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Refernce Citation
2	(-)-CAMPHOR	Shoot		210000.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
41	CAMPHOR	Shoot		210000.0	7.734143750713728	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
67	1,8-CINEOLE	Shoot		86500.0	1.10495776701441	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
1	(-)-TERPINEN-4-OL	Shoot		24500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
23	TERPINEN-4-OL	Shoot		24500.0	9.988471668153748	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
9	CAMPHENENE	Shoot		24500.0	2.126173523717797	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
5	BETA-THUJONE	Shoot		15000.0	3.162270479122553	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
6	ALPHA-THUJONE	Shoot		9500.0	3.6055258787422324	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
22	MYRCENE	Shoot		7000.0	7.647238814250376	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-OCIMENE	Shoot		6500.0	1.414176472518811	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
16	P-CYMENE	Shoot		6500.0	4.651328413135248	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
11	GAMMA-TERPINENE	Shoot		5000.0	3.0603388280060884	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	EO	Shoot		5000.0	-0.4902376675913727	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
1	ETHYL-ISOVALERATE	Shoot		4800.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	ETHYL-2-METHYL-BUTYRATE	Shoot		4800.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
35	BORNEOL	Shoot		4500.0	3.952586836653399	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	TRANS-P-MENTH-2-EN-1-OL	Shoot		4300.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-6-METHYL-6-HYDROXY-OCTA-3-7-DIEN-2-ONE	Shoot		4250.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	MYRtenol	Shoot		4250.0	6.8374182963300845	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
5	VERBENONE	Shoot		4250.0	5.859500414309206	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
5	SABINENE	Shoot		4150.0	4.1227868618031405	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
23	ALPHA-TERPINEOL	Shoot		4000.0	3.838459168847244	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	DELTA-TERPINEOL	Shoot		4000.0	1.7318737553193377	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(Z)-JASMONE	Shoot		3600.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	(E)-ETHYL-CINNAMATE	Shoot		3500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
28	ALPHA-PINENE	Shoot		3300.0	0.18166690399860314	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
12	BORNYL-ACETATE	Shoot		3250.0	4.989307593969599	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
2	TRANS-PINOCARVEOL	Shoot		3000.0	1.1140075228119024	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	P-CYMEN-8-OL	Shoot		3000.0	6.84847488036162	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
5	MYRTENAL	Shoot		2900.0	3.861726647347548	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	GERMACRENE-D	Shoot		2850.0	1.2272858077072613	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
13	ALPHA-TERPINENE	Shoot		2650.0	6.9451946634613355	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
13	BETA-PINENE	Shoot		2600.0	0.06102444071669903	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	CIS-P-MENTH-2-EN-1-OL	Shoot		2500.0	1.0	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	ARTEDOUGLASIA-OXIDE-A	Shoot		2500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
19	CARVONE	Shoot		2500.0	0.19598632912908293	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	CIS-CHRYSANTHEOL	Shoot		2250.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	TRANS-SABINENE-HYDRATE	Shoot		2150.0	4.8659688223596325	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
1	PINOCARVONE	Shoot		2100.0	1.6346616131518463	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	TRANS-PIPERITAL	Shoot		2000.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	2,3-DIMETHYLEN-OCT-7-EN-3-OL	Shoot		2000.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	CIS-SABINENE-HYDRATE	Shoot		2000.0	5.278612667288771	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	ARTEDOUGLASIA-OXIDE-C	Shoot		1750.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	DEHYDROSABINAKETONE	Shoot		1700.0	1.4141533335700656	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-2-METHYL-6-METHYLENOCTA-3,7-DIENE-2-OL	Shoot		1700.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	2,2,9-TRIMETHYL-1,6-DIOXASPIRO[4.4]-NONA-3,8-DIENE	Shoot		1500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	CIS-CHRYSANTHENYL-ACETATE	Shoot		1350.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	TRICYCLENE	Shoot		1250.0	3.997049625995964	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	LACINIATA-FURANONE-H	Shoot		1250.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	ARTEDOUGLASIA-OXIDE-B	Shoot		1200.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	ETHYL-3-PHENYLPROPIONATE	Shoot		1200.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(Z)-ETHYL-CINNAMATE	Shoot		1150.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	TERPIN-4-YL-ACETATE	Shoot		1050.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	SABINAKETONE	Shoot		1000.0	1.4141942007683261	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	LINALOL	Shoot		1000.0	-0.04079497490656966	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
10	CUMINALDEHYDE	Shoot		1000.0	5.4312546268770925	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	ARTEDOUGLASIA-OXIDE-D	Shoot		1000.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	SPATHULENOL	Shoot		800.0	4.195232000845359	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	BETA-CARYOPHYLLENE-EPOXIDE	Shoot		750.0	1.2880819592269606	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	ETHYL-ISOCAPROATE	Shoot		750.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	5,5-DIMETHYLDIHYDROFURAN-2-ONE	Shoot		700.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	BETA-OPOPENONE	Shoot		650.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	4-OXOGERANYL-ACETATE	Shoot		500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-METHYL-CINNAMATE	Shoot		500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	P-ISOPROPYLPHENOL	Shoot		500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	ALPHA-TERPINYL-ACETATE	Shoot		500.0	-0.11592748357714744	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
7	PIPERITONE	Shoot		500.0	-0.12900942401968535	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	LACINIATA-FURANONE-F	Shoot		500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	BETA-CARYOPHYLLENE	Shoot		500.0	0.6037001779326777	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	ALPHA-COPAENE	Shoot		500.0	5.387619552329427	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	CHAVICAL	Shoot		500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-5-(3-FURANYL)-2-METHYLPENT-3-EN-2-OL	Shoot		500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	5-(3-FURANYL)-2-METHYLPENT-1-EN-3-OL	Shoot		500.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	SALSOLENE-OXIDE	Shoot		200.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	CIS-CHRYSANTHENYL-ISOVALERATE	Shoot		59.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	BORNYL-ISOBUTYRATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-PROPYL-CINNAMATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	METHYL-3-PHENYLPROPIONATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	GAMMA-CADINENE	Shoot		50.0	-0.1218975256470905	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	TRANS-VERBENOL	Shoot		50.0	-0.6457074498170094	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	BORNYL-2-METHYLBUTYRATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	CIS-CHRYSANTHENYL-PROPIONATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	2-ACETYL-5-METHYL-5-VINYLTETRAHYDROFURAN	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	PERSILPHIPERFOLAN-9-OL	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	BICYCLOGERMACRENE	Shoot		50.0	-0.6565247982700855	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-ISOBUTYL-CINNAMATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	2,6-DIMETHYLEN-OCT-7-EN-3-ONE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-CINNAMYL-ISOVALERATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	TRANS-CARVYL-ACETATE	Shoot		50.0	1.9678408427182261	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	CIS-CHRYSANTHENYL-2-METHYLBUTYRATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	(E)-CINNAMYL-2-METHYLBUTYRATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	CIS-CARVYL-ACETATE	Shoot		50.0	-1.0	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	LACINIATA-FURANONE-A	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	P-CYMEN-7-OL	Shoot		50.0	1.621949936834274	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
3	CINNAMYL-ACETATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(Z)-METHYL-CINNAMATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
1	BENZYL-ISOVALERATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	(E)-5-BUTYROXYMETHYL-2,6-DIMETHYLHEPTA-3,6-DIENE-2-OL	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	LACINIATA-FURANONE (ISOMER)	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	BENZYL-2-METHYL-BUTYRATE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	5-METHYL-5-VINYLTETRAHYDROFURAN-2-ONE	Shoot		50.0		V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
0	BORNYL-ISOVALERATE	Shoot		50.0	1.0	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
5	GERANYL-ACETATE	Shoot		50.0	-0.41824605893863187	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.